

## Приложения на серии продукти

<u>Външно приложение</u> <u>(полиестери)</u>	<u>Вътрешно приложение</u> <u>(епокси-полиестери)</u>	<u>Вътрешно приложение</u> <u>(чист епокси)</u>	<u>Специални продукти</u>
<p><b><u>Архитектурно приложение</u></b> <b><u>GSB&amp; Qualicoat Certification</u></b></p> <p><b>Серия 29/ - гланц</b> (1 година Флорида)</p> <p><b>Серия 14/ - полугланц</b> (1 година Флорида)</p> <p><b>Серия 29/ - мат</b> (1 година Флорида)</p> <p><b>Серия 29/ - фина структура</b> (1 година Флорида)</p> <p><b>Серия 68/ - суперустойчива - полугланц и мат</b> (5 години Флорида тест) Металици и Специлни ефекти</p>	<p><b>Серия 09/</b></p> <p><b>Серия 89/</b> гланц./полугланц/ мат/ фина структура/ едра структура/ специлани ефекти и металици</p>	<p><b>Серия 69/</b></p>	<p><b>Серии:</b> <b>90/</b> <b>93/</b> <b>60/</b> <b>69/</b> <b>91/</b></p>
<p><b><u>Външно приложение</u></b></p> <p><b>Серия 59/ - гланц//мат/ф.стр.</b></p> <p><b>Серия 47/ - едр.стр./специални ефекти</b></p> <p><b>Серия 44/ - специални ефекти</b></p> <p><b>Серия 40/ - гланц/мат/полугланц</b></p>			

**Етикет и обозначение на праховите покрития**



**Drylac®**

Powder Coatings

Color: /Цвят

**RAL 9005**  
РАЛ 9005

Quality: /Приложение

Exterior (non-arch.) quality  
Външно (неархитектурно)

Product number:

**059/80530**

Сериен номер:

Finish: /Покритие

гладко/ smooth

Gloss: /Гланцовост

гланц/ glossy

Processing: /Нанасяне

e-static and tribo  
електро- и трибо-статично


Contents made in AUSTRIA by

TCA - TIGER Coatings Austria  
Negrellistr. 36, 4600 Wels, AUSTRIA  
Tel.: +43 (7242) 400-0  
Fax: +43 (7242) 65008  
www.tiger-coatings.com, e-mail: office@tiger-coatings.com



**Термична обработка**  
Curing parameters 20min/170°C - 7min/200°C

Storage: Cool & Dry! **Съхранение: хладно и сухо място!**  
Please observe our latest edition of the relevant product data and technical information sheets - download available from [www.tiger-coatings.com](http://www.tiger-coatings.com)



The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EC" as issued in the last version.  
Observe the normal safety regulations when handling chemicals.

**A BETTER FINISH. FOR A BETTER WORLD.**

**DEYACOLOR LTD**

Contents:  
**20 KG**

Asen Yordanov No.9 blvd.  
BG-1113 Sofia


Customer number:  
**104759**

### Видове текстура и гланцовост на праховото покритие:


<p><b>Покритие/finish:</b></p> <p><b>Възможни са:</b> гладко покритие металик = металик - <i>smooth metallic = metallic</i>, фина структура металик - <i>metallic fine texture</i>, едра структура металик - <i>metallic rough texture</i></p>	<p>а) Гладко/ <i>smooth</i>          б) Фина структура/ <i>fine texture</i>          в) Едра структура/ <i>rough texture</i>          г) Металик/ <i>metallic*</i></p>
<p><b>Гланцовост/ gloss:</b></p>	<p>д) Гланц/ <i>glossy</i>          е) Полугланц/ <i>semi-glossy</i>          ж) Мат/ <i>matte</i></p>

### Примери:






В) Processing parameters 7min/200°C - 15min/170°C



Г) Processing parameters 20min/170°C - 7min/200°C



Д) Processing parameters 20min/170°C - 7min/200°C

**TIGER Drylac®**  
Powder Coatings

Color: ca. RAL 9006

Quality: One coat, exterior

Product number: 29/90045

Finish: metallic

Gloss/Гланцовост: полу-гланц/ semi gloss

Processing: electrostatic and tribo

Parameters 20min/170°C - 7min/200°C

Made in AUSTRIA by  
 ER Coatings Austria  
 36, 4600 Wels, AUSTRIA  
 (+43) 7242) 400-0  
 (+43) 7242) 65008  
 ercoatings.com, e-mail: office@tiger-coatings.com

GSB Material Licence 107Q  
 Qualicoat Material Licence P-0266

e)

**TIGER Drylac®**  
Powder Coatings

Color: RAL 7024

Quality: Architectural application

Product number: 29/70029

Finish: smooth

Gloss/Гланцовост: мат/ matte

Processing: electrostatic

Parameters 10min/200°C

Made in AUSTRIA by  
 ER Coatings Austria  
 36, 4600 Wels, AUSTRIA  
 (+43) 7242) 400-0  
 (+43) 7242) 65008  
 ercoatings.com, e-mail: office@tiger-coatings.com

GSB Material Licence 107I  
 Qualicoat Material Licence P-0267

ж)